

Product Catalogue 2019





Everything you need to know about Freefoam

Freefoam's range includes fascia, soffit, rainwater, cladding, internal panelling and decking products designed for and supplied to the building industry in Ireland, the UK & Mainland Europe and backed by an industry leading Lifetime Guarantee. Whether you are:

- An Architect looking for a contemporary palette
- A Specifier or Developer requiring sustainable products
- A PVC Stockist looking to grow your business
- An Installer seeking high quality, easy-to-fit roofline products
- A Homeowner who wants peace of mind and a low maintenance home improvement solution







Contents

Guarantee	4 - 5
Fascia and Soffit	6 - 13
Window Boards	14 - 15
Roofline and Window Board Accessories	16 - 17
Decorative Roofline	18 - 19
Fixing, Ventilation and Eaves Protection	20 - 2
Cladding	22 - 27
Rainwater Systems	28 - 33
nternal Panelling	34 - 39
Klicker Flooring	40 - 41
Colour Roofline Visualiser	42
Scheduling Service	43
How to become a Freefoam Registered Installer	44 - 45
nstallation Guide	46 - 53
Freefoam the Colour Specialist	54
Colour options	55 - 56
reefoam and the Environment	57



Industry leading guarantees

Freefoam has made a life-long company commitment to make and guarantee long life products through refining technical and manufacturing resources and the cumulative experience of product performance over many years.



50 Year Lifetime Extended Guarantee

Freefoam offers an extended 50 year Lifetime transferable guarantee on all white profiles in addition to the standard 20 year guarantee. The extended guarantee is available on roofline, cladding and rainwater installation projects, where only the Freefoam brand is used and fitted, and registered online by a Freefoam Registered Installer.

20 Year Standard Guarantee

All white Freefoam products are automatically covered by its standard 20 year guarantee. Products are guaranteed not to warp, crack, discolour or blister and provide resistance to air pollution. This level of protection can simply be extended to the industry leading Lifetime Guarantee.





10 Year Guarantee

Colour

The Freefoam colour range of fascia, soffit, cladding and rainwater products is eligible for a 10 Year Guarantee unique in the roofline industry. Backed by Freefoam's own innovative Colormax®.

Woodgrain

The Freefoam woodgrain range of fascia, soffit and cladding is eligible for a 10 Year Guarantee. Manufactured with market leading Renolit EXOFOL MX foil with Solar Shield technology (SST) which offers built-in sun reflection that reduces heat absorption, thus minimising profile temperature and expansion.

Fully transferable

The Freefoam guarantee doesn't end when a property changes hands. It can be transferred to the new owners and subsequent owners so they can continue to enjoy the same peace of mind. Some guarantees only cover domestic properties, but the Freefoam guarantee can also be used by landlords and specifiers from Local Authorities, Housing Associations and commercial projects.



See our full colour range

Unfold our handy colour swatch page at the back of this catalogue



Fascia

A comprehensive range of fascia manufactured to last.

- Available in five styles: Square Leg, Square Edge, Bullnose, Ogee and Flat in a wide range of widths
- Fascia available as 9mm and 10mm Reveal Liner or 15mm, 18mm, 23mm and 25mm Full Replacement
- A wide range of colours featuring Freefoam patented Colormax® technology
- Woodgrain finishes produced using marketing leading Renolit Exofol with built in Solar Shield Technology



Square Leg Fascia/Plain Fascia

				W	hi	te			Co	olo	ur			Wo	od	gra		
						ā	3 =	9 6	SAB	SG	DG AG		M G M	WGB	WGR	WGI	WGAG	WGCR
	Code	Description	Unit	Units per pack	White	Risch	Loothor Brown	Pale Gold	Sable	Storm Grey	Dark Grey Anthracite Grev		Mahogany Light Oak	Black Ash	Rosewood	Irish Oak	Anthracite Grey Chartwell Green	Cream
	Square L	∟eg Fascia / Reveal Liner 10mm																
	FW100	100mm Square Leg Fascia	5m	4	•	Γ												
	FW125	125mm Square Leg Fascia	5m	2	•													
	FW150	150mm Square Leg Fascia	5m	2	•								• •	•	•	•	•	
	FW175	175mm Square Leg Fascia	5m	2	•	•	•	•	•	•	• •		• •	•	•	•	•	•
	FW200	200mm Square Leg Fascia	5m	2	•	•	•	•	•	•	• •		• •	•	•	• (•	•
	FW225	225mm Square Leg Fascia	5m	2	•	•	•	•	•	•	• •		• •	•	•	•	•	•
	FW250	250mm Square Leg Fascia	5m	2	•								• •	•	•	•	•	
	FW300	300mm Square Leg Fascia	5m	2	•								• •	•	•	•	•	
	FW400	400mm Square Leg Fascia	5m	2	•								• •	•	•	•	•	•
	F410P	410mm Double Ended Square Leg Fascia	5m	2	•	•	•	•	•	•	• •							
	FW450	450mm Square Leg Fascia	5m	2	•													
	F605P	605mm Double Ended Square Leg Fascia	5m	1	•	•	•	•	•	•	• •							
	Magnum	Square Leg Fascia 18mm																
	FMS150	150mm Magnum Square Leg Fascia	5m	2	•	•			•	•	0 0			•	•			
	FMS175	175mm Magnum Square Leg Fascia	5m	2	•	•			•	•	• •			•	•	•	•	•
	FMS200	200mm Magnum Square Leg Fascia	5m	2	•		•	•	•	•				•	•	•		•
	FMS225	225mm Magnum Square Leg Fascia	5m	2	•				•	•				•	•			
	FMS250	250mm Magnum Square Leg Fascia	5m	2	•	•		•	•	•				•	•			
	FMS300	300mm Magnum Square Leg Fascia	5m	2	•	•					• •							
-	FMS400	400mm Magnum Square Leg Fascia	5m	1										•	•	•		•
	FMS410	410mm Double Ended Magnum Square Leg Fascia	5m	1	•	•	•		•	•	• •							
	FMS410.125	410mm Double Ended Magnum Square Leg Fascia	1.25m	2	•	•				•	• •							
	Magnum	Square Leg Fascia - 25mm																
	FMXS150	-	5m	2	•	r												
	FMXS175	175mm Magnum Square Leg Fascia	5m	2	•	ı												
	FMXS200		5m	1	•	h												
	FMXS225		5m	1	•	П												
	FMXS250		5m	1	•	h												
	FMXS405	0 1 0	5m	1	•	ı												
-																		
	FW / FMS	S / FMXS - Accessories																
	FWJ	300mm Square Joint	Piece	10	•				•	•	•			•	•	•		•
	FWX	300mm Square Corner	Piece	10	•				•	•				•	•	•		•
	FWJJ	600mm Square Double Joint	Piece	10	•				•	•				•	•	•		•
	FWXX	600mm Square Double Corner	Piece	10	•				•	•	• •			•	•	•		•
See page 16	FWXI	Internal Corner Square	Piece	10	•	•			•	•			• •	•	•	•		•
for diagrams	FWFX	135° Square External Corner	Piece	1	•								• •	•	•	•		•
	FWFXI	135° Square Internal Corner	Piece	1	•			•					• •	•		•		•
	FWFXIWGR	135° Internal Plain Corrner	Piece	1		ſ									•			
	FWEC	100mm End Cap	Piece (L&R)	1	•		•											
	FWDC	300mm Large End Cap	Piece	1	•	•			•	•	• •		• •	•	•	•		•
						1						- 1						

[•] Some colour products are subject to a lead time. Ask your stockist for details

Ogee Fascia

,				w	/hit	e		C	olou	ır		Wo	odgra	iin
						Н	B !	PG SAB	SG	DG AG	WGW	WGB	WGR	WGAG WGCHG
	Code	Description	Unit	Units per pack	White	Black	Leather Brown	Pale Gold Sable	Storm Grey	Dark Grey Anthracite Grey	Mahogany Light Oak	Black Ash	Rosewood Irish Oak	Anthracite Grey Chartwell Green Cream
	Ogee Fa	scia - 10mm												
	FO100	100mm Ogee Cover Fascia	5m	4	•									
	FO150	150mm Ogee Cover Fascia	5m	2	•									
	FO175	175mm Ogee Cover Fascia	5m	2	•	•	•	• •	•	• •	• •	•	•	
	FO200	200mm Ogee Cover Fascia	5m	2	•	•	•	• •	•	• •	• •	•	•	
	FO225	225mm Ogee Cover Fascia	5m	2	•	•	•	• •	•	• •	• •	•	•	
	FO250	250mm Ogee Cover Fascia	5m	2	•	•	•		•	• •				
1	FO300	300mm Ogee Cover Fascia	5m	2	•									
	FO390	390mm Ogee Cover Fascia	5m	2	•	•	•	• •	•	• •	• •	•		
	Magnum	Ogee Fascia - 18mm												
	FMO150	150mm Magnum Ogee	5m	2	•									
	FMO175	175mm Magnum Ogee	5m	2	•									
	FMO200	200mm Magnum Ogee	5m	2	•									
	FMO225	225mm Magnum Ogee	5m	2	•									
	FMO250	250mm Magnum Ogee	5m	2	•									
	FMO405	405mm Double Ended Magnum Ogee	5m	1	•									
1														
		D - Accessories												
	FOJ	Ogee Joint	Piece	10	•	•	•	• •	•	• •	• •	•	•	
	FOX	Ogee Corner	Piece	10	•	•	•	• •	•	• •	• •	•	•	
	FOJJ	600mm Ogee Double Joint	Piece	10	•	•	•	• •	•	• •	• •	•	•	
	FOXX	600mm Ogee Double Corner	Piece	10	•	•	•	• •	•	• •	• •	•	•	
See page 16	FOXI	Ogee Internal Corner	Piece	10	•	•	•		•		• •	•	•	
for diagrams	FOB	125° External Ogee Corner	Piece	1	•	•	•							
	FOFX	135° External Ogee Corner	Piece	1	•	•	•							
	FOFXI	135° Internal Ogee Corner	Piece	1	•	•	•							
	FBOX	Ogee Moulded Corner	Piece	1	•									

Piece

1 •

FOBOX Ogee Gable End Box (600 x 390mm)



See our full colour range

Unfold our handy colour swatch page at the back of this catalogue

[•] Some colour products are subject to a lead time. Ask your stockist for details

Bullnose Fascia

Damiosc		ora -					
				V	/hit	e Colour	Woodgrain
						BL LB SAB SG DG AG	WGM WGB WGB WGI WGCHG WGCHG
	Code	Description	Unit	Units per pack	White	Black Leather Brown Pale Gold Sable Storm Grey Dark Grey Anthracite Grey	Mahogany Light Oak Black Ash Rosewood Irish Oak Anthracite Grey Chartwell Green Cream
	Magnum	Duo Fascia -15mm					
	FMD150	150mm Magnum Duo Bullnose Fascia	5m	2	•		
	FMD175	175mm Magnum Duo Bullnose Fascia	5m	2	•		
	FMD200	200mm Magnum Duo Bullnose Fascia	5m	2	•		
	FMD225	225mm Magnum Duo Bullnose Fascia	5m	2	•		
	FMD250	250mm Magnum Duo Bullnose Fascia	5m	2	•		
	FMD405	405mm Double Ended Bullnose Fascia	5m	1	•		
	Manne	- Bullius - Frank - 40					
	-	Bullnose Fascia - 18mm					
	FMR150	150mm Magnum Bullnose Fascia	5m	2	•		
	FMR175	175mm Magnum Bullnose Fascia	5m	2	•		
	FMR200	200mm Magnum Bullnose Fascia	5m	2	•		
	FMR225	225mm Magnum Bullnose Fascia	5m	2	•		
	FMR250	250mm Magnum Bullnose Fascia	5m	2	•		
	FMR405	405mm Double Ended Bullnose Fascia	5m	1	•		
-							
	Magnum	Bullnose Fascia - 23mm					
	FMXD150		5m	2	•		
		175mm Magnum Bullnose Fascia	5m	2	•		
		200mm Magnum Bullnose Fascia	5m	1	•		
		225mm Magnum Bullnose Fascia	5m	1	•		
		250mm Magnum Bullnose Fascia	5m	1	•		
		405mm Magnum Bullnose Fascia	5m	1	•		
	1 111/12 100	Toomin Magnam Balliose Fassia	0111	1.	1 1		
	FMD/FM	R/FMXD - Accessories					
	FMRJJ	600mm Bullnose Double Joint	Piece	1	•		
	FMRXX	600mm Bullnose Double Corner	Piece	1	•		
Caa ::-:- 10	FMRXI	Bullnose Internal Corner	Piece	1	•		
See page 16	FMRFX	135° Bullnose External Corner	Piece	1	•		
for diagrams	FMRFXI	135° Bullnose Internal Corner	Piece	1	•		
	FMREC	100mm End Cap	Piece	1	•		
	FMRDC	300mm End Cap	Piece	1	•		

Square Edge Fascia

			W	hite	9	(Cold	our		١	Noc	odg	rain	
					H =	2	SAB	DG AG	NOW	WGO	WGB	WGR	WGAG	WGCHG
Code	Description	Unit	Units per pack	White	Black	Pale Gold	Sable Storm Grey	Dark Grey Anthracite Grey		Manogany Light Oak	Black Ash	Rosewood	Anthracite Grey	Chartwell Green Cream
Square E	Edged Fascia / Reveal Liner - 9mm													
FLP100	100mm Square Edge Cover Fascia	5m	4	•										
FLP150	150mm Square Edge Cover Fascia	5m	2	•										
FLP175	175mm Square Edge Cover Fascia	5m	2	•										
FLP200	200mm Square Edge Cover Fascia	5m	2	•										
FLP225	225mm Square Edge Cover Fascia	5m	2	•										
FLP250	250mm Square Edge Cover Fascia	5m	2	•										
FLP300	300mm Square Edge Cover Fascia	5m	2	•										
FLP405	405mm Square Edge Cover Fascia	5m	2	•										

	FLP - Ac	cessories				
	FLJ	Square Edge Joiner	Piece	10	•	
	FLX	External Square Edge Corner	Piece	10	•	
	FLJJ	600mm Double Square Edged Joiner	Piece	10	•	
See page 17	FLXX	600mm Double Square Edged Corner	Piece	10	•	
for diagrams	FLXI	Internal Square Corner	Piece	10	•	
ioi diagrams	FLFX	135' External Square Edge Corner	Piece	1	•	
	FLFXI	135' Internal Square Edged Corner	Piece	1	•	• •
	FLEC	End Cap	Piece (L&R)	1	•	
	FLDC	Large End Cap	Piece	1	•	

Flat Fascia

	Magnum	ı Flat Fascia - 16mm				
	FMF100	100mm Magnum Flat Fascia	5m	2	•	
	FMF125	125mm Magnum Flat Fascia	5m	2	•	
	FMF150	150mm Magnum Flat Fascia	5m	2	•	
	FMF175	175mm Magnum Flat Fascia	5m	2	•	
	FMF200	200mm Magnum Flat Fascia	5m	2	•	
	FMF250	250mm Magnum Flat Fascia	5m	2	•	
-	FMF300	300mm Magnum Flat Fascia	5m	2	•	
	FFMJJ	600mm Double Ended Flat Fascia Joiner	Piece	1	•	
	FFMXX	600mm Double Ended Flat Fascia Corner	Piece	1	•	

Tudor Boa	ard				
FMXT145 1	145mm Tudor Board	5m	2	• • • •	







Soffit and Hollow Soffit

A range of soffit, light to handle, easy to fit and designed to work with our fascia range.

- Standard General Purpose Board
- Pre Vented General Purpose Board and Double Vented General Purpose Board
- Hollow Soffit
- Range of matching fitting trims and accessories.

White

Colour

Woodgrain

						BL LB PG SAB SG DG AG	WGM WGD WGB WGR WGCHG
	Code	Description	Unit	Units per pack	White	Black Leather Brown Pale Gold Sable Storm Grey Dark Grey	Mahogany Light Oak Black Ash Rosewood Irish Oak Anthracite Grey Chartwell Green
	General	Purpose Board - 10mm					
	GPB100	100mm General Purpose Board	5m	4	•		
	GPB100	100mm General Purpose Board	5m	2			• • • •
Name and Address of the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner,	GPB125	125mm General Purpose Board	5m	2	•		
	GPB150	150mm General Purpose Board	5m	2	•	• • • • • •	• • • •
	GPB175	175mm General Purpose Board	5m	2	•	• • • • • •	• • • • • • •
	GPB200	200mm General Purpose Board	5m	2	•	• • • • • •	• • • • • • •
	GPB225	225mm General Purpose Board	5m	2	•	•••••	• • • • • • •
	GPB250	250mm General Purpose Board	5m	2	•	• • • •	• • • •
	GPB300	300mm General Purpose Board	5m	2	•	•••••	• • • • • •
	GPB350	350mm General Purpose Board	5m	2	•	• • •	
	GPB405	405mm General Purpose Board	5m	2	•	• • • • • •	• • • • • • •
	GPB450	450mm General Purpose Board	5m	2	•		
	GPB500	500mm General Purpose Board	5m	2	•		
	GPB605	600mm General Purpose Board	5m	1	•	• • • • • •	• • •
Some colour product	e aro subi	act to a load time. Ask your stockist for dotails					





See our full colour range

Unfold our handy colour swatch page at the back of this catalogue

Soffit and Hollow Soffit

		**	/hite	Colour	Woodgrain
			B	LB PG SAB SG DG AG	WGM WGB WGB WGI WGAG WGCHG
Code		Units per pack	a ×	Leader Leader Brown Pale Gold Sable Storm Grey Dark Grey	Mahogany Light Oak Black Ash Rosewood Irish Oak Anthracite Grey Chartwell Green Cream
Code	Unit	Lii	White	Leathe Pale G Sable Storm Dark G	Mahoga Light O Black A Rosew Irish Oa Anthrac Chartw Cream
Vented General Purpose Board - 10mm					
GPBV100 100mm Vented	5m	4	•		
GPBV150 150mm Vented	5m	2	•		• • • •
GPBV175 175mm Vented	5m	2	•		• • • •
GPBV200 200mm Vented	5m	2	•		
GPBV225 225mm Vented	5m	2	•		• • • •
GPBV250 250mm Vented	5m	2	•		
GPBV300 300mm Vented	5m	2	•	•	• • • •
GPBV350 350mm Vented	5m	2	•		
GPBV405 405mm Vented	5m	2	•		• • • •
GPBV450 450mm Vented	5m	2	•		
GPBV500 500mm Vented	5m	2	•		
GPBV605 600mm Vented	5m	1	•		•
Double Vented General Purpose Board - 10mm					
GPBDV225 225mm Double Vented	5m	2	•		
GPBDV300 300mm Double Vented	5m	2	•	•	
GPBDV350 350mm Double Vented	5m	2	•		
GPBDV450 450mm Double Vented	5m	2	•		
GPBDV605 605mm Double Vented	5m	2	•		
Hollow Soffit - 10mm					
F104 100mm Hollow Soffit	5m	10	•		• • • •
F312 300mm Hollow Soffit	5m	4	•		
F112 300mm Hollow Soffit	5m	4	• •	• • • • •	
F112 300mm Hollow Soffit	5m	2			• • • • • • •
GPB / GPBV / GPBDV / Hollow Soffit - Finishing T	rims				
F105 Wall Trim/ F Sec	5m	10	• •		
See page 17 F106 Joint Trim/ H Sec	5m	10	• •		• • • • • • •
F107 Starter Trim/ I Sec	5m	10	• •	• • • • •	• • • • • • •
for diagrams F108 External Corner Trim	5m	5	• •	• • • • •	
FZ106 Flexible H-trim/Joint Trim	5m	10	• •		

[•] Some colour products are subject to a lead time. Ask your stockist for details Hollow Soffit, F112 or F312, should not be used as an external wall cladding.



Windowboards, Architraves, Angles and Trims

High quality window boards, trims and accessories including end caps, architraves and angles available in a wide range of designs, sizes, colours and woodgrain finishes to match any window installation.



Windowboards

				W	/hit	te			С	olo	our				W	00	dg	rai	n		
						퓜	В	e G	0 V	2 0	8 6	AG	CAR	WGM	WGO	WGB	WGH	WGAGW	WGCHG	WGCR	WGW
	Code	Description	Unit	Units per pack	White	Black	Leather Brown	Pale Gold	Sable	Storm Gray	Dark Grev	Anthracite Grey	Caramel	Mahogany	Light Oak	Black Ash	Rosewood Irish Oak	Anthracite Grev	Chartwell Green	Cream	White
	Window	Boards - 10mm																			
	FB150	150mm Bullnose Window Board	5m	2	•																
	FB175	175mm Bullnose Window Board	5m	2	•																
	FB200	200mm Bullnose Window Board	5m	2	•																
	FB225	225mm Bullnose Window Board	5m	2	•																
	FB250	250mm Bullnose Window Board	5m	2	•																
	FB455	455mm Bullnose Window Board (Double Ended)	5m	2	•																
	FBDC	Large End Cap	Piece	50	•																
	FBEC	End Cap for FB Board	Pair (L&R)	50	•																
	Architra	ves - 6mm																			
	FA45	40mm Architrave	5m	20	•							•									
	FA45	40mm Architrave	5m	10	•							•		_							
				-								_		•						•	
	FA65 FA90	60mm Architrave 90mm Architrave	5m 5m	10	•							•		•	•				•	•	•
	1 A30	30mm Architave	SIII	10	٠							٠		•	•				•	•	•
	Window	Trims																			
	FQ15	15mm Quadrant	5m	25	•																•
	FQ15	15mm Quadrant	5m	10										•	• •	•			•	•	
See page 17	FQ19	19mm Quadrant	5m	25	•																
for diagrams	FQ19	19mm Quadrant	5m	10										•	• (•			•	•	•
•	FR15	15mm Square	5m	25	•																
	FB28	28mm Batten	5m	25	•																
	FD28	28mm D Section	5m	25	•							•									
	FD28	28mm D Section	5m	10										•	• (•			•	•	•
	FF20	20mm Fillet	5m	25	•																
	FF20	20mm Fillet	5m	10										•	• (•		•	•	•	
	1	'	1			1															
	Rigid &	Flexi Angles																			
	FZ25	25 x 25mm Flexi Angle	5m	25	•																
	FZ50	50 x 50mm Flexi Angle	5m	10	•																
See page 17	FZ100	100 x 80mm Hollow Angle	5m	10	•									•	• (•	•				
for diagrams	FZR30	30 x 30mm Rigid Angle	5m	20	•	•															
-	FZR30	30 x 30mm Rigid Angle	5m	10										•	• (•	•				
	FZR50	50 x 50mm Rigid Angle	5m	10	•	•								•	• •	•	•				
	E7D400	100 100 BULLE I	-	_	١.										_						

5m

FZR100 100 x 100mm Rigid Angle

[★] Products available in the following colours to complement Woodgrain Range, Black, Leather Brown and Caramel

Roofline and Window Board Accessories

Square Leg Fascia Accessories (FW, FMS, FMXS) - from page 7















Ogee Fascia Accessories (FO, FMO) - from page 8

















Magnum Fascia Accessories (FMD, FMR, FMXD) - from page 9















Square Edge Fascia Accessories (FLP, FML) - from page 10















Soffit Accessories (GPB, GPBV, GPDBV) - from page 13












Window Trims - from page 15













Rigid & Flexi Angles - from page 15















Decorative Roofline

A choice of products to add a decorative finish to a project.

Decorative Fascia Boards and Mouldings

Create a stylish appearance with a range the includes scalloped fascia boards, decorative mouldings and finials.

Gallows Brackets

A range of plain and decorative Gallows Brackets for use under canopies, bay and oriel windows.



				W	hit	е		Со	lour			W	ood	gra	
						В	8 S	SAB	s s	AG	WGM	WGO	WGB	WGI	WGAG WGCHG WGCR
	Code	Description	Unit	Units per pack	White	Black	Leather Brown Pale Gold	Sable	Storm Grey	Anthracite Grey	Mahogany	Light Oak	Rosewood	Irish Oak	Anthracite Grey Chartwell Green Cream
	Decorati	ve Roofline Accessories & Boards													
h-	FM01	Ogee Décor Mould	Piece	1	•	•	•								
	FM02	Plain Mould (Open)	Piece	1	•										
	FM03	Plain Mould (Closed)	Piece	1	•										
	FM04	Scalloped Fascia Convex	5m	2	•										
	FM05	Scalloped Fascia Concave	5m	1	•										
-															

Spires / I	Finials					
FIN_1	Finial	Piece	10	•	• • • • • •	• • • •
FIN_2	900MM x 65MM x 33MM	Piece	1	•		
FIN_3	1300MM x 65MM x 33MM	Piece	1	•		

	Plain an	d Decorative Gallows				
-	FGBS1	Plain bracket 375mm x 300mm x 60mm	Piece	2	•	
Section 1	FGBS2	Plain bracket 565mm x 400mm x 60mm	Piece	2	•	
100	FGBS3	Plain bracket 750mm x 600mm x 60mm	Piece	2	•	
100	FGBD1	Decorative bracket 375mm x 300mm x 60mm	Piece	2	•	
	FGBD2	Decorative bracket 565mm x 450mm x 60mm	Piece	2	•	
	FGBD3	Decorative bracket 750mm x 600mm x 60mm	Piece	2	•	
E.3.		•	•		1	

[•] Some colour products are subject to a lead time. Ask your stockist for details



Plastops

Freefoam's own range of colour matched plastic-headed pins produced from A4 marine grade stainless steel to eliminate the risk of rust and discolouration. Available in a variety of sizes and colours to match our fascia, soffit and cladding systems.

			١	Vhit	е	Co	lou	r			١	Voc	odg	ırair		
					В	B B	SAB	SG	DG AG	WGM	WGO	WGB	WGR	WGI	WGAG	WGCHG
opeo	Description	Unit	Units per pack	White	Black	Leather Brown Pale Gold	Sable	Storm Grey	Dark Grey Anthracite Grey	Mahogany	Light Oak	Black Ash	Rosewood	Irish Oak	Anthracite Grey	Chartwell Green Cream
PlasTop	s															
P30	30mm Pins	30mm	200	•	•	• •	•	•	• •	•	•			•		• •
P40	40mm Pins	40mm	200	•	•	• •	•	•	• •	•	•			•		• •
N40	40mm Nails	40mm	100	•												
N50	50mm Nails	50mm	100	•	•	• •	•	•	• •	•	•			•		• •
N65	65mm Nails	65mm	100	•	•	• •	•	•	• •	•	•			•		• •
ACSS250	Cladding Screws	30mm	250													

Please order Woodgrain Mahogany Pins & Nails to match Woodgrain Rosewood products Please order Anthracite Grey Pins & Nails to match Woodgrain Anthracite Grey products Please order Black Pins & Nails to match Woodgrain Black Ash

Fixings, Ventilation and Eaves Protection

				W	hit	е		Col	our			W	ood	grain	
						В:	B 2	SAB	00 00	AG	WGM	N CO	WGR	WGI WGAG	WGCHG WGCR
	Code	Description	Unit	Units per pack	White	Black	Leather Brown Pale Gold	Sable		Anthracite Grey	Mahogany	Light Oak Rlack Ash	Rosewood	Irish Oak Anthracite Grey	Chartwell Green Cream
	Roofline	& Ventilation Accessories													
	F104V	Hollow Soffit Vent	5m	10	•										
	F109	Soffit Ventilator	5m	10	•	•	• •	•	• •	•	• •	•			•
	F109 F109M	Soffit Ventilator Mesh 50m long x 52mm wide	5m Piece		•	•	• •	•	• •	•	• •	•			•
See below					•	•	• •	•	• •	•	• •	•			•
See below	F109M	Mesh 50m long x 52mm wide	Piece	10 1	•	•	• •	•	• •	•	• •	•			
See below for diagrams	F109M FCV	Mesh 50m long x 52mm wide Circular Soffit Vent	Piece Piece	10 1 50	•	-	• •	• (• •	•	• (•			•
	F109M FCV FVENT10	Mesh 50m long x 52mm wide Circular Soffit Vent 10mm Over Fascia Vent*	Piece Piece 1m	10 1 50 60	•	•	• •	• (• •	•	• (•			•

Roofline & Ventilation Accessories























Cladding

A range of exterior cladding products to provide not only a decorative but also a protective facing to any new build or renovation project.

- Standard Open V and Shiplap styles in white and woodgrain finishes.
- Fortex® embossed cladding in Double Shiplap and Weatherboard styles.
- X-Wood 16mm woodgrain heavy duty cladding.

Durable

- Standard white cladding products are eligible for a standard 20 year guarantee that can be extended to an impressive 50 year guarantee when registered online.
- Woodgrain, Fortex embossed and X-Wood cladding comes with a 10 year guarantee.

Light and easy to install

PVC-U cladding panels are designed to make storing, handling and fitting quick and easy. With the weatherboard cladding weighing just 3.15kg per 5 metre board it is 4 times lighter than comparable fibre cement board.

A+ rated

PVC cladding offers a sustainable solution. Fortex comes with significant environmental credentials with the Building Research Establishment's (BRE) 'Green Guide To Specification, giving PVC cladding an A+ rating when installed with standard components.

Standard Cladding

				AG		WGM	WGO	WGB	WGR	WGAG
Code	Description	Unit	Units per pack	Anthracite Grey	White	Mahogany	Light Oak	Black Ash	Rosewood	Anthracite Grey
Shiplap C	adding									
Shiplap Cl FC151	adding 151mm Shiplap	5m	5		•	•	•	•	•	•
		5m Piece	5 10		•	•	•	•	•	•



Open Vee	Cladding								
FV100	100mm Open Vee	5m	5	•	•	•	•	•	
FV209	Butt Joint	Piece	10	•	•	•	•	•	

	Cladding	Trims and Accessories									
	FC3013	2 Part Edge Trim	3m	5		•	•	•	•	•	•
	FC3023	Universal Edge Trim	3m	5		•	•	•	•	•	•
	FC3043	2 Part External Corner Trim	3m	5		•	•	•	•	•	•
	FC3153	2 part H trim	3m	5		•	•	•	•	•	•
	FC3123	25mm Multi Vent Starter Trim	3m	5	•						
See page 25	FC311E3	25mm 2 Part Multi Vent Starter/Cover Trim	3m	1		•					
for diagrams	FC206	Drip Trim	5m	5		•					
	FCF2123	Starter Trim	3m	5		•					
	FC318E3	'H' Edge/ Extension Trim	3m	1		•					
	FC319E3	2 Part Reveal Liner	3m	1		•					
	ACSS250	Cladding Screws	30mm	250							
	CP30	30mm Cladding Pins	30mm	200		•					



Embossed Cladding



White Colour

				AG	PG	SAND	PB	CAP	AB M	SG	SLG	CLB
Code	Description	Unit	White		Pale Gold	Sand	Pale Blue	Cappuccino	Argyl Brown	Storm Grey	\circ	



SUUIIIIII L	Jounie Flank Shipiap Elliposseu					
FCD300E	300mm Double Plank	5m	2	•	•	•
FCD209E	Butt Joint	Piece	10	•	•	•



JJJIIIII L	Jouble Flank Shipiap Embossed										
FCD333E	333mm Double Shiplap Cladding	5m	2	•	•	•	• •	•	•	•	•
FCD210E	Butt Joint	Piece	10	•	•	•	• •	•	•	•	•

п			

170mm F	Feather Edge Weatherboard Embosse	ed											
FCF170E	170mm Embossed	5m	6	•	•	•	•	•	•	•	•	•	•
FCF209E	Butt Joint	Piece	10	•	•	•	•	•	•	•	•	•	•

AG
PG
SAND
PB
CAP
AB
MG
SG
SC
CLB
SCC
CLB

													-
	FC301E3*	2 Part Edge Trim	3m	5	•	•	•	• •	•	• •	•	•	•
	FC302E3*	Universal Edge Trim	3m	5	•	•	•	• •	•	•	•	•	•
	FC304E3*	2 Part External Corner Trim	3m	5	•	•	•	• •	•	•	•	•	•
	FC307E3*	Internal Corner Trim	3m	5	•	•	•	• •	•	•	•	•	•
	FC315E3*	2 Part 'H' Trim	3m	5	•	•	•	• •	•	•	•	•	•
See page 25	FCF2123*	Starter Trim	3m	5	•								
for diagrams	FC320E3*	45mm Multi Function Trim	3m	5	•	•	•	• •	•	•	•	•	•
ioi ulagranis	FC319E3	2 Part Reveal Liner	3m	1	•	•	•	• •	•	•	•	•	•
	FC318E3	'H' Edge/Extension Trim	3m	1	•	•	•	•	•	•	•	•	•
	FC3123*	25mm Multi Vent Starter Trim	3m	5		•							
	FC311E3	25mm 2 Part Multi Vent Starter/Cover Trim	3m	1	•	•	•	• •	•	•	•	•	•
	ACSS250	Cladding Screws	30mm	250									
	CP30	30mm Cladding Pins	30mm	250	•								

^{*} Can be bought in single pack quantities

Cladding Trims and Accessories

Cladding Trims for Standard Range - from page 23





























Cladding Trims for Embossed Range - from page 24

































Become a Freefoam installer See page 44 for more details

X-Wood Cladding



Woodgrain

Code	Description	Unit	Units per pack	White WGW	×	Greved Cedar WGGC	MG	Anthracite Grey WGAG	Aluminium Anthracite Grey
X-Wood	Cladding								



X-Wood Cladding Trims		

X-Wood	Cladding Trims			
FCA3013	2 Part 'U' Trim	3m	5	
FCA3023	'J' Trim	3m	5	• • • • •
FCA3043	2 Part External Corner Trim	3m	5	• • • • •
FCA3153	2 Part 'H' Trim	3m	5	
FCA3163	Cover Trim for Vented Starter Trim	3m	1	
FC3123	25mm Multi Vent Starter Trim	3m	1	•
FC3133	35mm Multi Vent Starter Trim	3m	5	•
FCA3123	Aluminium Starter Trim	3m	5	•
ACSS250	Cladding Screws	30mm	250	

Cladding Trims for X-Wood Range





FCV143 X Wood Cladding FCV209 Butt Joint

















See our full colour range

Cladding Calculator





Rainwater Systems

Freefoam offer the Freeflow® range of innovative, high quality PVC-U rainwater systems.

Each rainwater system is co-extruded with a white interior and a range of exterior colours – Freefoam's innovative solution to the problems associated with rapid heat absorption and expansion of gutters.

Systems


Square, Round, Deep, Ogee and Cast Iron effect

Colours





Rainwater Systems



Co-extruded Gutters

Each rainwater system is co-extruded with a white interior and a range of exterior colours - Freefoam's innovative solution to the problems associated with rapid heat absorbtion and expansion of gutters.



Square and Round Rainwater Systems

Square and it	ound	Mainwater Syste	-1113							
						В	ГВ	CAR	AG	CBL
	Code	Description	Unit	Box/Pack Quantities	White	Black	Leather Brown	Caramel	Anthracite Grey	Cast Iron
	Freeflow S	Square Gutter & Fittings								
1	FSG400	4 Mtr Square Gutter	4m	6	•	•	•	•	•	
	FSG500	5 Mtr Square Gutter	5m	6	•	•	•		•	
	FRS601	150° Gutter Angle		24/1	•	•	•	•		
	FRS602	Union Bracket		24/6	•	•	•	•	•	
1	FRS603	90° Gutter Angle		20/1	•	•	•	•	•	
	FRS604	135° Gutter Angle		24/1	•	•	•	•	•	
100	FRS605	Running Outlet		16/1	•	•	•	•	•	
	FRS606	Stopend Outlet		30/1	•	•	•	•	•	
	FRS607	Stopend External		135/15	•	•	•	•	•	
	FRS608	Stopend Internel		200/10	•	•	•	•	•	
	FRS609	Fascia Bracket		150/25	•	•	•	•	•	
	FRS611	Square to Round Gutter Adaptor		55/11	•	•	•			

[•] Some colour products are subject to a lead time. Ask your stockist for details

Square and Round Rainwater Systems

di di				
		Œ	_	_
ø	H H	CAR	AG	CBL
5	۶		rey	
	Brow		Anthracite Grey	_
Poc artificial and a second and	, Jer	a e	raci	<u> </u>
Code Description Unit Unit BowPack Quantities	Leather Brown	Caramel	Anth	Cast Iron
Freeflow Square Downpipe & Fittings				
FSP275 2.75 Mtr Square Downpipe 2.75m 6 • •		_	_	
FSP400 4 Mtr Square Downpipe 4m 6			•	
			•	
			•	
			•	
FRS526 Pipe Clip 200/10 • •	•	•	•	
FRS536 Flush Pipe Clip 140/30 • •	•	•	•	
FRS527 112° Offset Bend 30/1 • •	•	•	•	
FRS528 Shoe 56/14 • •	•	•	•	
FRS529 112° Branch 20/10 • •	•	•	•	
FRS531 Square to Round Pipe Adaptor 50/10 • •	•	•		
FRS532 Mini Offset 20/10 • •	•	•		
FRS533 Access Pipe 20/4* • •	•	•		
Freeflow Round Gutter & Fittings				
FRG400 4 Mtr Gutter 4m 6 • •	•	•	•	
FRG500 5 Mtr Gutter 5m 6 ● •	•	•		
FRR601 150° Gutter Angle 28/1 • •	•	•		
FRR602 Union Bracket 30/6 ● ●		•	•	
FRR603 90° Gutter Angle 22/1 • •	•	•	•	
FRR603 90° Gutter Angle 22/1 • FRR604 135° Gutter Angle 30/1 •		•	•	
FRR603 90° Gutter Angle 22/1 • FRR604 135° Gutter Angle 30/1 • FRR605 Running Outlet 18/1 •			•	
FRR603 90° Gutter Angle 22/1 • • • FRR604 135° Gutter Angle 30/1 • • • FRR605 Running Outlet 18/1 • • • FRR606 Stopend Outlet 30/1 • • •			•	
FRR603 90° Gutter Angle 22/1 • FRR604 135° Gutter Angle 30/1 • FRR605 Running Outlet 18/1 • FRR606 Stopend Outlet 30/1 • FRR607 External Stopend 120/15 •			•	
FRR603 90° Gutter Angle 22/1 • FRR604 135° Gutter Angle 30/1 • FRR605 Running Outlet 18/1 • FRR606 Stopend Outlet 30/1 • FRR607 External Stopend 120/15 • FRR608 Internal Stopend 270/30 •			•	
FRR603 90° Gutter Angle 22/1 • • • FRR604 135° Gutter Angle 30/1 • • • FRR605 Running Outlet 18/1 • • • FRR606 Stopend Outlet 30/1 • • • FRR607 External Stopend 120/15 • • FRR608 Internal Stopend 270/30 • • FRR609 Fascia Bracket 180/30 • •			•	
FRR603 90° Gutter Angle 22/1 • FRR604 135° Gutter Angle 30/1 • FRR605 Running Outlet 18/1 • FRR606 Stopend Outlet 30/1 • FRR607 External Stopend 120/15 • FRR608 Internal Stopend 270/30 •			•	
FRR603 90° Gutter Angle 22/1 • • • FRR604 135° Gutter Angle 30/1 • • FRR605 Running Outlet 18/1 • • FRR606 Stopend Outlet 30/1 • • FRR607 External Stopend 120/15 • • FRR608 Internal Stopend 270/30 • FRR609 Fascia Bracket 180/30 • • FRS611 Square to Round Gutter Adaptor 55/11 • •			•	
FRR603 90° Gutter Angle 22/1 • • • • • • • • • • • • • • • • • • •				
FRR603 90° Gutter Angle 22/1 • FRR604 135° Gutter Angle 30/1 • FRR605 Running Outlet 18/1 • FRR606 Stopend Outlet 30/1 • FRR607 External Stopend 120/15 • FRR608 Internal Stopend 270/30 • FRR609 Fascia Bracket 180/30 • FRS611 Square to Round Gutter Adaptor 55/11 • Freeflow Round Downpipe & Fittings FRP275 2.75 Mtr Round Downpipe 2.75m 6 •			•	
FRR603 90° Gutter Angle 22/1 • FRR604 135° Gutter Angle 30/1 • FRR605 Running Outlet 18/1 • FRR606 Stopend Outlet 30/1 • FRR607 External Stopend 120/15 • FRR608 Internal Stopend 270/30 • FRR609 Fascia Bracket 180/30 • FRS611 Square to Round Gutter Adaptor 55/11 • Freeflow Round Downpipe & Fittings FRP275 2.75 Mtr Round Downpipe 2.75m 6 • FRP400 4 Mtr Round Downpipe 4m 6 •				
FRR603 90° Gutter Angle 22/1 9 9 9 9 9 9 9 9 9				
FRR603 90° Gutter Angle 22/1 9 9 9 9 9 9 9 9 9				
FRR603 90° Gutter Angle 22/1 907 Squtter Angle 30/1 907 Squtter Angle 30/1 907 Squtter Angle 30/1 907 Squtter Angle 30/1 907 Stopend Outlet 30/1 907 Squtter Angle 30/1 90/1 907 Squtter Angle 30/1 90/1 90/1 90/1 90/1 90/1 90/1 90/1 9			•	
FRR603 90° Gutter Angle 22/1 907 Squtter Angle 30/1 90/1 907 Squtter Angle 30/1 90/1 907 Squtter Angle 30/1 90/1 90/1 90/1 90/1 90/1 90/1 90/1 9				
FRR603 90° Gutter Angle 22/1 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9			•	
FRR603 90° Gutter Angle 22/1 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9			•	
FRR603 90° Gutter Angle 22/1 97 97 97 97 97 97 97 97 97 97 97 97 97			•	
FRR603 90° Gutter Angle 22/1 90/1 135° Gutter Angle 30/1 90/1 18/1 90/1 18/1 90/1 18/1 90/1 18/1 90/1 90/1 90/1 90/1 90/1 90/1 90/1 90			•	
FRR603 90° Gutter Angle FRR604 135° Gutter Angle FRR605 Running Outlet FRR606 Stopend Outlet FRR607 External Stopend 120/15 FRR608 Internal Stopend 2770/30 FRR609 Fascia Bracket FRS611 Square to Round Gutter Adaptor FRF8611 Square to Round Downpipe FRP275 2.75 Mtr Round Downpipe 4m 6 FRP550 5.5 Mtr Round Downpipe 4m 6 FRR524 90° Offsett Bend 40/10 FRR525 Pipe Socket 50/10 FRR526 Pipe Clip FRR527 112° Offset Bend 36/9 FRR528 Shoe FRR529 112° Branch FRR529 112° Branch FRR520 112° Branch			•	
FRR603 90° Gutter Angle 22/1 907			•	

^{* 5} units per bag and 4 bags per box (20 units per box).

[•] Some colour products are subject to a lead time. Ask your stockist for details

Ogee and Deep Rainwater Systems

Preeflow Ogee Gutter & Fittings Preeflow Ogee Gutter & Ogen Ogen Ogee Gutter & Ogen Ogen Ogee Gutter & Ogen Ogen Ogen Ogee Gutter & Ogen Ogen Ogen Ogen Ogen Ogen Ogen Ogen
FOG400 4 Mtr Ogee Gutter 4m 4 • • • • FRO601 150° Gutter Angle 10/1 • • • FRO602 Union Bracket 20/1 • • • • FRO603 90° Gutter Angle 10/1 • • • • FRO604 135° Gutter Angle 12/1 • • • • FRO605 Running Outlet 12/1 • • • • FRO606 Stopend Outlet 20/1 • • • •
FRO601 150° Gutter Angle 10/1 • • • • FRO602 Union Bracket 20/1 • • • • FRO603 90° Gutter Angle 10/1 • • • • FRO604 135° Gutter Angle 12/1 • • • • FRO605 Running Outlet 12/1 • • • • FRO606 Stopend Outlet 20/1 • • • •
FRO602 Union Bracket 20/1 • • • • FRO603 90° Gutter Angle 10/1 • • • FRO604 135° Gutter Angle 12/1 • • • FRO605 Running Outlet 12/1 • • • FRO606 Stopend Outlet 20/1 • • •
FRO603 90° Gutter Angle 10/1 • • • • FRO604 135° Gutter Angle 12/1 • • • • FRO605 Running Outlet 12/1 • • • • FRO606 Stopend Outlet 20/1 • • • •
FRO604 135° Gutter Angle 12/1 • • • • FRO605 Running Outlet 12/1 • • • • FRO606 Stopend Outlet 20/1 • • •
FRO605 Running Outlet 12/1 • • • • • • • • • • • • • • • • • • •
FRO606 Stopend Outlet 20/1 • • • • •
FRO607 External Stopend 80/10 • • • •
FRO608 Internal Stopend 50/10 • • • •
FRO609 Fascia Bracket 100/10 • • • • •
FRO611 Ogee 2 Sq Adaptor 1/1 • • • • •
FRR611 Ogee 2 Rnd Adaptor 1/1 • • • • •
FRO613 Top Hung Fascia Bracket 150/25 • • • • •
Freeflow Deep Gutter & Fittings FDG400 Round Gutter 4m 4* • • • •
FDF604 135° Gutter Angle 18/1 • • •
FDF605 Running Outlet 12/1 • • • •
FDF607 External Stopend 96/12 • • • •
FDF608 Internal Stopend 300/30 • • • • •
FDF609 Fascia Bracket 150/25 ● ● ● ●
FDF609 Fascia Bracket 150/25 ● ● ● ●
FDF609 Fascia Bracket 150/25 • • • • • Hedgehog Gutter Brush & Gutter Brackets
FDF609 Fascia Bracket 150/25 • • • • • • • • • • • • • • • • • • •
FDF609 Fascia Bracket 150/25 • • • • • • • • • • • • • • • • • • •
FDF609



Cast Rainwater Systems

	_
	CBL
5	
Code Description Durities Quantities	Cast Iron
Code Descr	ast
Freeflow Round Gutter & Fittings - Cast Iron	
FRG400CBL 4 metre Round Gutter 4m 1	•
FRR602CBL Union Bracket 1	•
FRR603CBL 90° Gutter Angle 1	•
FRR604CBL 135° Gutter Angle 1	•
FRR605CBL Running Outlet 1	•
FRR606CBL Stopend Outlet 1	•
FRR607CBL External Stopend 1	•
FRR609CBL Fascia Bracket 1	•
Freeflow Deep Gutter & Fittings - Cast Iron	
FDG400CBL Deep Gutter 4m 1	•
FDF602CBL Union Bracket 1	•
FDF603CBL 90° Gutter Angle 1	•
FDF604CBL 135° Gutter Angle 1	•
FDF605CBL Running Outlet 1	•
FDF607CBL External Stopend 1	•
FDF609CBL Fascia Bracket 1	•
5/3	
Freeflow Round Downpipe & Fittings - Cast Iron	
FRP275CBL Round Downpipe 2.75m 1	•
FRP550CBL Round Downpipe 5.5m 1	•
FRR524CBL 90° Offsett Bend 1	•
FRR527CBL 112° Offset Bend 1	•
FRR528CBL Shoe 1	•
FRR529CBL 112° Branch 1	•
	•
FRR530CBL Hopper (FITS SQ OR RD) 1	
FRR532CBL Mini Offset 1	•
	•



PVC Internal Panelling

Geopanel® is a range of PVC interior decorative wall and ceiling panelling which provides a 100% waterproof stylish, modern and convenient panelling system for bathrooms and kitchens. Providing a cost-effective and practical alternative to tiling. Wall panels available in three different widths - 250mm, 600mm and 1m. Ceiling panels available in 200mm.

Easy to fit

- · Panels fit together with a waterproof tongue-and-groove joint
- · No drying time and grouting
- Fix over existing surfaces, including tiles
- No specialist training required
- Range of PVC and Aluminium trims


PVC Geo-Panel® Wall and Ceiling panels

				Ceiling Panels	WI	hite	Marbl	е	Diamond Stone	Wood	Small Tile	Large Tile	Slate	Retro Matt	Ripple	Concrete	Onyx
				TSWHC/TSWHC4 WHCSI	WHC/WHC4	BMC	LGMC	WMC	WDC BDC WHA/ASC	WHWC	STMWH STMBE STMLG	LTMWH	SLMBE	RPMCO RPMSI/SMC	BLRC	CGMC CGGC CBMC	MOOMC GOMC GOGC
Code	Description	Unit	Units per pack	White / Silver Strip TS White / Silver Edge	White Gloss V	Black Marble Pergamon Marble	Light Grey Marble Travertine Marble	White Marble Beige Marble	White Diamond Stone Black Diamond Stone Arctic Sparkle	White Wood Gloss Black Wood	White Small Tile Beige Small Tile Light Grey Small Tile	White Large Tile Beige Large Tile Light Grey Large Tile	Beige Slate	Copper Retro Silver Retro/Metallic	Black Ripple White Ripple	Grey Concrete - Matt Grey Concrete - Gloss Beige Concrete - Matt Beige Concrete - Gloss	Mocha Onyx – Matt Classic Mocha Onyx – Gloss Grey Onyx – Matt Classic Grey Onyx – Gloss
Standard I	Range Wall Pa	nels -	All	2.7m	x 2	50mr	n x 5	mm									
GE8	Geopanel 250mm wide PVC Panel	2.7m	4	• •	•	• •	• •	•	• • •	•							
GE8	Geopanel 250mm wide PVC Panel	4m	4		•												
Standard ·	· Ceiling Panel	ls 200	mm	x 6m	m												
GE8TSWHC	PVC Panel	2.7m	5	•													
GE8TSWHC4	PVC Panel	4m	5	•													
Mid Range	Wall Panels -	· All 2.	.4m	x 600	mm	1 x 7r	nm										
GE9	Geopanel 7mm x 600mm	2.4m	2		•	•	• •		• •				•	••			• • • •
Mid Range	Wall Panels -	All 2.	6m	x 600	mm	1 x 7n	nm										
GE9	Geopanel 7mm x 600mm	2.6m	2								• • •	• • •					
Wide Rand	ge Wall Panels	- AIL	2.4r	n x 1n	n x	10m	n										
GE7	Geopanel 1000mm	2.4m					• •	• •						•			




Geo-panel® Internal Panelling Finishes

PVC Colours



Note:

Colours/designs shown in this brochure are for availability identification only. Please see in store display or samples for exact colour/design representations.





Geo-panel® Trims and Accessories

		Trim Colours							
Code	Description	Unit	Units per pack	White	Silver	Black	Aluminium White	Aluminium Bright Silver	Aluminium Satin
Standard PV	C Ceiling & Wall Trims - 5mm/6mm								
GET8UTWH	End U White	2.7m	10	•					
GET8ECWH	External Corner	2.7m	4	•					
GET8ICWH	Internal Corner	2.7m	4	•					
GET8HTWH	H-Join	2.7m	10	•					
GET8SMWH	Scotia Moulding	2.7m	4	•					
GET8UTSI	End U Silver	2.7m	10		•				
GET8ICSI	Internal Corner	2.7m	4		•				
GET8ECSI	Exeternal Corner	2.7m	4		•				
GET8HTSI	H-Join	2.7m	10		•				
GET8SMSI	Scotia Moulding	2.7m	4		•				
GET8UTBL	End U Black	2.7m	10			•			
GET8ECBL	External Corner	2.7m	4			•			
GET8ICBL	Internal Corner	2.7m	4			•			
GET8HTBL	H-Join	2.7m	10			•		ı	

Geo-panel® Trims and Accessories

98000	Description	Unit	Units per pack	White	Silver	Black	Aluminium White	Aluminium Bright Silver	Aluminium
3	^a	j j	28	≥	S	面	₹≥	₹ <u>@</u>	₹
Mid Range -	Aluminium Mid Panel Trims - 7mm								
GET9AECWH	Geopanel Aluminium 7.6mm External Corner White	2.4m	10				•		
GET9AICWH	Geopanel Aluminium 7.6mm Internal Corner White	2.4m	10				•		
GET9AUTWH	Geopanel Aluminium 7.6mm End U White	2.4m	10				•		
GET9BSWH	Geopanel Aluminium 7.6mm Base Seal Trim White	2.4m	10				•		
GET9AHTWH	Geopanel Aluminium 7.6mm H-Join White	2.4m	10				•		
GET9AICSI	Geopanel Aluminium 7.6mm Internal Corner Bright Silver-Chrome	2.4m	10					•	
GET9AECSI	Geopanel Aluminium 7.6mm External Corner Bright Silver-Chrome	2.4m	10					•	
GET9AUTSI	Geopanel Aluminium 7.6mm End U Bright Silver-Chrome	2.4m	10					•	
GET9AHTSI	Geopanel Aluminium 7.6mm H-Join Bright Silver-Chrome	2.4m	10					•	
GET9BSSI	Geopanel Aluminium 7.6mm Base Seal Trim Bright Silver	2.4m	10					•	
Nida Danali	Trime 10mm								
	Trims - 10mm								
GET7UTWH	Geopanel PVC 10.5mm End U White	2.4m	10	•					
GET7ECWH	Geopanel PVC 10.5mm External Corner White	2.4m	4	•					
GET7ICWH	Geopanel PVC 10.5mm Internal Corner White	2.4m	4	•					
GET7HTWH	Geopanel PVC 10.5mm H-Join White	2.4m	10	•					
GET7BSWH	Geopanel PVC 10.5mm Base Seal White	2.4m	1	•					
GET7UTSI	Geopanel PVC 10.5mm End U Silver	2.4m	10		•				
GET7ECSI	Geopanel PVC 10.5mm External Corner Silver	2.4m	4		•				
GET7ICSI	Geopanel PVC 10.5mm Internal Corner Silver	2.4m	4		•				
GET7HTSI	Geopanel PVC 10.5mm H-Join Silver	2.4m	10		•				
GET7BSSI	Geopanel PVC 10.5mm Base Seal Silver	2.4m	1		•				
GET7AUTWH	Aluminium End U White	2.4m	1				•		
GET7AICWH	Aluminium Internal Corner White	2.4m	1				•		
GET7AECWH	Aluminium External Corner White	2.4m	1				•		
GET7AHTWH	Aluminium H-Join White	2.4m	1				•		
GET7AUTSI	Aluminium End U Bright Silver-Chrome	2.4m	1					•	
GET7AICSI	Aluminium Internal Corner Bright Silver-Chrome	2.4m	1					•	
GET7AECSI	Aluminium External Corner Bright Silver-Chrome	2.4m	1					•	
GET7AHTSI	Aluminium H-Join Bright Silver-Chrome	2.4m	1					•	
GET7AUTSA	Aluminium End U Satin	2.4m	1						•
GET7AICSA	Aluminium Internal Corner Satin	2.4m	1						•
DETTA FOOA	Aluminium External Corner Satin	2.4m	1						•
GET7AECSA									

2.4m

12 per pack



Geopanel PVC Decor Clip In - Silver

GEOCLNSPRAY Cleaner for Geopanel Range

GET7DCSI



Klicker Flooring



Luxury rigid Bamboo Plastic Composite flooring.


Manufactured with three layers to create a solid long lasting board.

Features an inbuilt underlay and easy to fit system with clever 'click and lock' on both edges.

100% waterproof so suitable throughout the home.

- bathroom
- shower room
- cloakroom
- kitchen
- utility room





Klicker Floor Range

					Col	our				
				TCS	TOS	TCG	TBD	MBO MBO	WLO	WMO
bood	Description	Unit	Units per pack	Copper Slate Grev Onvx	Oiled Slate	Concrete Grey		Black Oak	Light Oak	Medium Oak
Tile Rar	ge									
KF1	Klicker BPC Flooring Tile	610 x 305mm	10	• •	•	•	•	•		
										_
Wood P	ank Range									
KF1	Klicker BPC Flooring Wood Plank	1220 x 181mm	10					•	•	•

Klicker Flooring Tile Range

Dimensions: 305mm x 610mm • 10 Tiles per Pack • Covers: 1.86m²



Klicker Flooring Plank Range

Dimensions: 181mm x 1220mm • 10 Planks per Pack • Covers: 2.2m²



KF1WLO KF1WB0 KF1WMO







Become a Freefoam Registered Installer TODAY!

There's never been a better time to get your business aligned to one of the major roofline brands.

FREE TO JOIN FREEFOAM!

my freefoom

Reasons to become a freefoam registered installer

- Offer your customers a market leading product guarantee straight from the manufacturer*
- Stand out from the crowd. Only Freefoam Registered Installers can offer the Extended 50 year Guarantee
- Tools and Sales support to build your business.

Dedicated website www.myfreefoam.com

Free leads!

- For roofline enquiries from www.myrooflinematters.co.uk
- For cladding enquiries from www.mycladding.com

Two ways to register

1 Online

We know that everyone hates paperwork! That's why we've made it really quick and easy to become a Freefoam Registered Installer all at the touch of a button. We've built a dedicated website for all installers called My Freefoam.

Go to myfreefoam.com

- Complete the online form and add your company name
- We will verify you are buying Freefoam products on a regular basis
- Our Area Manager will authorise your account

Once you're registered you will be able to:

- 1. Register installation work for the 50 year extended lifetime guarantee
- 2.Edit and update existing registrations
- 3. Order more marketing materials
- 4. Update your contact details

2 Complete the form

When you're next at your local Freefoam stockist hand in the completed form. They will handle the whole process for you and Freefoam will send you an email to confirm your registration.

Name:	
Company Name:	
Company Address:	
•••••	
Postcode:	
Email Address:	

Your local Freefoam stockist:







Installation Guide

Preparation

Plan all roofline installation procedures, system components and installation sequence before onsite fitting begins.

Ensure all work is carried out in accordance with good construction practice and complies with relevant Building Regulations.

Access

Never attempt to access the work area with an unsupported ladder or without a stable deck.

Always use a full scaffold platform or a purpose built cantilevered deck system with quard rails.

Storage and Handling

Load and unload by hand and support both ends of a 5m length when handling. Stack no higher than 1m, in pack sleeve on a flat base. Avoid contact with solvents, paint, creosote, bitumen etc. Coloured products should not be stored in direct sunlight, as heat distortion may occur.

Cutting

Use conventional carpentry tools. Run power tools at speeds appropriate for timber. Nail and screw holes do not require pre-drilling.

Asbestos

By law all asbestos materials must be removed by trained operatives under strictly controlled conditions. If you suspect asbestos is present consult your Local Authority before proceeding.

Working Temperatures

Avoid installation in temperatures greater than 30°c or less than 0°C.

Fixing Guidelines

Fixing	Board	Max Centres
N50	Capping Over: FW, FO & FLP	
N65	Full Replacement: FMS, FMXS, FMO, FMD, FMR, FMF, FMXD	White 600mm Black 300mm
P40	Soffit	Woodgrain and
P30	Soffit	other colours 400mm
CP30	Hollow Soffit	

New Build/Full Replacement

Freefoam manufacture a range of Magnum boards for use in full replacement or new build work which require no backing board. The boards are self-supporting and should be fixed with Plastops colour co- ordinated nails.

Freefoam Rainwater system can be fitted directly to Magnum boards without the need for timber support.


If fascia used is less than 15mm then 18mm WBP plywood backing boards should be used.

Capping Over

Freefoam manufacture 9mm and 10mm Plain, Ogee and Square Edge Fascia designed for capping over existing fascia and bargeboard that are in sound condition, or for use with a backing board in refurbishment work.


Available in a wide choice of colours with complete range of matching trims and accessories for a neat finish.

FO Ogee Fascia (10mm) FW Plain Fascia (10mm)



Standard over fascia installation

Roofline Installation



Ventilation

Freefoam supply a range of roofline ventilation products. Ask your stockist for details. Adequate ventilation of the roof space through eaves, in terms of minimum statutory air path dimensions for various roof configurations in new build constructions, is a specified requirement.

Set out in British Building Regulations 2010: Approved Document F (England & Wales), as well as in its Scottish, Irish and Northern Ireland equivalents.

Order of work

Cut back and replace damaged or worn felt, eaves can be made watertight using an eaves protector.

Use string lines to ensure rafter feet are aligned, If necessary use packing to align rafter feet.

Install soffit bearers using timber battens spanned from rafter feet to the wall.

Ensure that they are aligned and level.

Installation of Soffit

- If using a F107 'J' Trim fix this at each soffit bearer before soffit is fixed.
- Fix soffit boards to bearers using appropriate fixing pins (as shown on page 43). Soffit should extend 5mm beyond rafter if magnum fascia is used.

If fixing hollow soffit with joints perpendicular to fascia boards then supporting bearers will need to occur at each joint.

If necessary boards can be joined at the ends using a F106 H/Joiner. Allow for 6mm extension gap at each end (12mm gap if joining two boards).

Installation of Fascia


- When determining fascia size ensure height is sufficient to provide tile kick. Allow for over fascia vents if being used.
- Fix Magnum Fascia Board with two N65 Plastops at each rafter end and non Magnum boards (less than 15mm) using two N50 Plastops at each rafter end.
- Join lengths of fascia between rafter positions using appropriate matching joiners ensuring 6mm expansion gap is provided at the end of each board.
- Use matching corner for internal and external corners. Allow for 6mm extension gap at each end (12mm gap if joining two boards).








Box End



- Finish Fascia level with the face of the rafter gable. Soffit should over hang by 10mm and may be cut square or mitred.
- Measure and cut fascia to form the return to gable wall using appropriate Double Ended Fascia Board, measure and cut box end to suit.
- Measure and cut fascia to form the return to gable wall.
- 4 Remove section from corner joint to fit around rafter.
- Fix fascia as bargeboard directly to gable rafter.

Note: Timber hangers should be installed as required to locate box end structure.

Window Boards and Trims



Preparation

Ensure substrate is clean and dry and is suitably sound to retain the window boards. If rotting or loose timber is present this should be replaced.

Installation

Ensure substrate is level and at the required height to meet the window at the required location. If necessary use packing to level the substrate or to raise the level.

Cut window A board to required depth and length. Note: allow extra length if horns* are required and trim board accordingly.

Fix board to substrate using a suitable general-purpose adhesive.


Junction between the board edges and window/reveals should be sealed with low modulus silicone.

If mechanical fixing is necessary use stainless steel screws or nails with plastic heads.

Fix trim B at junction between the cill and the window using low modulus silicone.

Cut endcaps (e) to length and fix using a suitable general-purpose adhesive.

Cladding Installation



Fitting instructions are suitable for all cladding ranges. Please see pages 22-26 for details of cladding products.

All Freefoam cladding profiles can be fitted horizontally or vertically.

When installing Cladding boards vertically, additional cross battens fitted vertically must be installed to allow for ventilation.

It is essential that continuous ventilation is maintained between the vertical battens from the top to the bottom and adequate expansion is allowed at the ends of boards.

Typical Installation Sequence

- Fix a suitable breather membrane to substrate in accordance with manufacturer's recommendations.
- 2 Fix vertical 25mm x 50mm battens to substrate at 400mm c/c. start 200mm from the ground.
- Fix ventilated starter trim at bottom of area (FC3123) making sure it is level. Fix ventilated closer trim (FC311E3) to top of area.
- Fix Single Part Trims and/or first part of Two Part Edge, Corner and 'H' Trims as necessary. Do not cut second parts of trim to length yet.
- Fit first Cladding Plank to Vented Starter Trim and screw fix top to cladding batten using ACSS250 cladding screws. Where necessary join the end of boards using a compatible Butt Joint or 'H' Trim with the correct expansion joint.
- Interlock next Cladding Plank to the Plank below and screw fix top to cladding batten with ACSS250 cladding screws, repeating the process until the entire area to be clad is covered.
- Cut second parts of 2 part trims to length and clip in place.

Note: Download Dormer Cheek installation information from www.freefoam.com


Cladding Trims



















Freefoam, the colour specialist







Freefoam is the colour specialist manufacturing one of the most technologically advanced colour PVC-U and PVC-UE fascia and soffit ranges using the unique patented Colormax™ technology.

Here's the science!

Freefoam manufacture using the co-extrusion process. A strong PVC-UE foam 'core' is simultaneously co-extruded with a rigid PVC-U skin, creating a smooth strong and hard wearing surface.

Colour Guaranteed

Available in a wide range of eight standard colours backed by an industry leading guarantee – up to 50 years on white products* and 10 years on all other colours

Off the shelf

Critically for trade and commercial sectors
Colormax[™] technology allows Freefoam
to supply the majority of colour products
straight from stock. With no minimum order
quantities Freefoam make choosing colour
an easy option..

Woodgrain

Freefoam work with world leading foil provider Renolit using the Exofol PVC film for all woodgrain products to provide a durable fade resistant product.

Manufactured with two layers, the colour pigments in the base film use Solar Shield Technology to protect the fascia, soffit and cladding against excessive heat build up and the upper transparent layer prevents against fading caused by UV radiation or other weathering effects.

This technology allows Freefoam to offer a ten year guarantee on all woodgrain products.

- · Built in sun reflection
- · Reduced heat absorption
- Reduced profile temperature and expansion

Colormax Colour range




Fascia, Soffit, Window Boards and Trims



Woodgrain range

Fascia, Soffit, Window Boards, Trims and Cladding*




* Cladding is not available in all woodgrain colours

Notes:

- 1. Colours shown are for availability identification only. Please see colour swatch or product samples for exact colour representations.
- 2. Please note that the nearest Ral numbers above are provided for reference purposes only and do not guarantee a precise match. It is recommended that actual Freefoam product samples be used for comparison purposes.
- 3. Please contact Freefoam or see our Technical & Specification Manual for nearest Pantone and NCS reference numbers.

Please note that a lead time may apply to some products listed in this catalogue


Fortex Cladding Range



X-Wood Cladding Colour Range



Rainwater Range





Freefoam and the environment

Freefoam is committed to the prevention of pollution and to continual improvement in environmental management and performance. To reinforce our commitment we have achieved ISO 14001:2004 Environmental Management System certification in Group and implement this on an ongoing basis.

Freefoam and Recycling

- Freefoam currently recycle 85% of post production waste and are targeted to increase this to 98%.
- Freefoam keep scrap rates below 10% with highly efficient production processes.
- Freefoam products are 100% lead free; we mean complete product, not just the skin.



Note:

All specifications, dimensions, descriptions and illustrations contained in any Freefoam sales literature, quotation, or pricelist or other advertisement matter are intended merely to present a general idea of the goods that we sell. We reserve the right from time to time to make changes which are required to comply with any applicable safety or statutory requirements or which do not materially affect the quality or fitness for purpose of the goods you purchase from us.









